

	Type	Hits	Search Text	DBs
1	BRS	2343257	material NEAR\$ (compar\$3 or test\$3)	USPAT
2	BRS	199915	material SAME (compar\$3 or test\$3)	USPAT
3	BRS	4461	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	USPAT
4	BRS	640	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	USPAT
5	BRS	8	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 73/\$	USPAT
6	BRS	2	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and 73/866	USPAT
7	BRS	290	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	USPAT
8	BRS	21	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 73/\$	USPAT
9	BRS	9	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 705/\$	USPAT
10	BRS	6	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 702/\$	USPAT
11	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 705/\$	USPAT
12	BRS	2	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 702/\$	USPAT
13	BRS	66273	steel SAME (test\$3 or compar\$)	USPAT
14	BRS	1979	(steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)	USPAT

	Time Stamp	Comments	Error Definition	Errors
1	2002/09/05 10:34			0
2	2002/09/05 10:35			0
3	2002/09/05 14:59			0
4	2002/09/05 10:36			0
5	2002/09/05 10:37			0
6	2002/09/05 09:43			0
7	2002/09/05 15:11			0
8	2002/09/05 10:38			0
9	2002/09/05 10:39			0
10	2002/09/05 10:39			0
11	2002/09/05 10:40			0
12	2002/09/05 10:40			0
13	2002/09/05 10:40			0
14	2002/09/05 15:13			0

	Type	Hits	Search Text	DBs
15	BRS	71	((steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)) and 73/\$	USPAT
16	BRS	0	((steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)) and 705/\$	USPAT
17	BRS	3	((steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)) and 702/\$	USPAT
18	BRS	2112	(steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature)	USPAT
19	BRS	62	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature)) and 73/\$	USPAT
20	BRS	189	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and 250/\$	USPAT
21	BRS	91	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and 250/\$) and (steel or die)	USPAT
22	BRS	32	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 250/\$	USPAT
23	BRS	17	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 250/\$	USPAT
24	BRS	158810 5	material NEAR\$ (compar\$3 or test\$3)	USOCR
25	BRS	218300	material SAME (compar\$3 or test\$3)	USOCR
26	BRS	5310	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	USOCR
27	BRS	524	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	USOCR
28	BRS	9	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 73/\$	USOCR

	Time Stamp	Comments	Error Definition	Errors
15	2002/09/05 10:42			0
16	2002/09/05 10:01			0
17	2002/09/05 10:01			0
18	2002/09/05 10:04			0
19	2002/09/05 14:21			0
20	2002/09/05 10:42			0
21	2002/09/05 10:22			0
22	2002/09/05 10:26			0
23	2002/09/05 10:30			0
24	2002/09/05 10:34			0
25	2002/09/05 10:35			0
26	2002/09/05 10:36			0
27	2002/09/05 15:22			0
28	2002/09/05 10:37			0

	Type	Hits	Search Text	DBs
29	BRS	291	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	USOCR
30	BRS	5	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 73/\$	USOCR
31	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 705/\$	USOCR
32	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)) and 702/\$	USOCR
33	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 705/\$	USOCR
34	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material) and 702/\$	USOCR
35	BRS	39	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and 250/\$	USOCR
36	BRS	7	steel and 73/866	USOCR
37	BRS	58	(compar\$5 or supply\$3) and 73/866	USOCR
38	BRS	415	(compar\$5 or supply\$3) and 73/866	USPAT
39	BRS	75	((compar\$5 or supply\$3) and 73/866) and (supplying or supplier)	USPAT
40	BRS	21	73/866 and raw NEAR material	USPAT
41	BRS	9	73/866 and raw NEAR material and material SAME (compar\$3 or test\$3)	USPAT
42	BRS	0	73/866 and raw NEAR material and material SAME (compar\$3 or test\$3)	USOCR
43	BRS	0	73/866 and raw NEAR material	USOCR
44	BRS	1	73/866 and raw SAME material	USOCR

	Time Stamp	Comments	Error Definition	Errors
29	2002/09/05 15:11			0
30	2002/09/05 10:39			0
31	2002/09/05 10:39			0
32	2002/09/05 10:39			0
33	2002/09/05 10:40			0
34	2002/09/05 10:40			0
35	2002/09/05 10:45			0
36	2002/09/05 10:46			0
37	2002/09/05 10:49			0
38	2002/09/05 10:49			0
39	2002/09/05 10:52			0
40	2002/09/05 10:54			0
41	2002/09/05 10:55			0
42	2002/09/05 10:55			0
43	2002/09/05 10:56			0
44	2002/09/05 10:56			0

	Type	Hits	Search Text	DBs
45	BRS	25	73/866 and raw SAME material	USPAT
46	BRS	226	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature or hardness)) and 73/\$	USPAT
47	BRS	2	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature or hardness)) and 73/866	USPAT
48	BRS	70	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature or hardness)) and 250/\$	USPAT
49	BRS	12	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature or hardness)) and 702/\$	USPAT
50	BRS	5	((steel SAME (test\$3 or compar\$)) and steel SAME (toughness or signature or hardness)) and 705/\$	USPAT
51	IS&R	351	(73/866).CCLS.	USPAT
52	BRS	218	73/866 and sample SAME test\$3	USPAT
53	BRS	73	73/866 and sample SAME test\$3 and steel	USPAT
54	BRS	0	((steel SAME (testing or comparing)) and steel SAME (toughness or signature or hardness)) and 705/\$	USOCR
55	BRS	181	((steel SAME (testing or comparing)) and steel SAME (toughness or signature or hardness)) and 73/\$	USOCR
56	BRS	8	((steel SAME (testing or comparing)) and steel SAME (toughness or signature or hardness)) and 250/\$	USOCR
57	BRS	0	((steel SAME (testing or comparing)) and steel SAME (toughness or signature or hardness)) and 702/\$	USOCR
58	BRS	0	((steel SAME (testing or comparing)) and steel SAME (toughness or signature or hardness)) and 705/\$	USOCR
59	BRS	27	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	EPO

	Time Stamp	Comments	Error Definition	Errors
45	2002/09/05 10:56			0
46	2002/09/05 15:24			0
47	2002/09/05 14:29			0
48	2002/09/05 14:31			0
49	2002/09/05 14:38			0
50	2002/09/05 14:39			0
51	2002/09/05 14:40			0
52	2002/09/05 14:41			0
53	2002/09/05 14:41			0
54	2002/09/05 14:52			0
55	2002/09/05 14:58			0
56	2002/09/05 14:59			0
57	2002/09/05 14:59			0
58	2002/09/05 14:59			0
59	2002/09/05 15:05			0



	Type	Hits	Search Text	DBs
60	BRS	111	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	JPO
61	BRS	12	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	IBM_TDB
62	BRS	166	(material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)	DERWENT
63	BRS	291	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	USOCR
64	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	EPO
65	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	JPO
66	BRS	2	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	DERWENT
67	BRS	1	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and material SAME (accept\$3 or reject\$3)	IBM_TDB
68	BRS	5	(steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)	EPO
69	BRS	59	(steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)	JPO
70	BRS	1	(steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)	IBM_TDB
71	BRS	62	(steel SAME (test\$3 or compar\$)) and material SAME (toughness or signature)	DERWENT
72	BRS	1	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	EPO

	Time Stamp	Comments	Error Definition	Errors
60	2002/09/05 15:07			0
61	2002/09/05 15:08			0
62	2002/09/05 15:08			0
63	2002/09/05 15:11			0
64	2002/09/05 15:12			0
65	2002/09/05 15:12			0
66	2002/09/05 15:12			0
67	2002/09/05 15:12			0
68	2002/09/05 15:19			0
69	2002/09/05 15:20			0
70	2002/09/05 15:21			0
71	2002/09/05 15:21			0
72	2002/09/05 15:22			0

	Type	Hits	Search Text	DBs
73	BRS	5	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	JPO
74	BRS	5	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	DERWENT
75	BRS	0	((material SAME (compar\$3 or test\$3) ) and material SAME (toughness or signature)) and die SAME material	IBM_TDB
76	BRS	34	((steel SAME (test\$3 or compar\$) ) and steel SAME (toughness or signature or hardness))	EPO
77	BRS	345	((steel SAME (test\$3 or compar\$) ) and steel SAME (toughness or signature or hardness))	JPO
78	BRS	5	((steel SAME (test\$3 or compar\$) ) and steel SAME (toughness or signature or hardness))	IBM_TDB
79	BRS	872	((steel SAME (test\$3 or compar\$) ) and steel SAME (toughness or signature or hardness))	DERWENT
80	BRS	77	((steel NEAR (test\$3 or compar\$) ) and steel SAME (toughness or signature or hardness))	DERWENT
81	BRS	3939	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	USPAT
82	BRS	401	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile)	USPAT
83	BRS	2	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 73/866	USPAT

	Time Stamp	Comments	Error Definition	Errors
73	2002/09/05 15:23			0
74	2002/09/05 15:24			0
75	2002/09/05 15:24			0
76	2002/09/05 15:27			0
77	2002/09/05 15:28			0
78	2002/09/05 15:28			0
79	2002/09/05 15:29			0
80	2002/09/05 15:29			0
81	2002/09/05 16:01			0
82	2002/09/05 15:59			0
83	2002/09/05 15:50			0

	Type	Hits	Search Text	DBs
84	BRS	28	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 250/\$	USPAT
85	BRS	2	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 702/\$	USPAT
86	BRS	4	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 364/\$	USPAT
87	BRS	0	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 705/\$	USPAT
88	BRS	2063	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	USOCR
89	BRS	221	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile)	USOCR
90	BRS	0	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 73/866	USOCR

	Time Stamp	Comments	Error Definition	Errors
84	2002/09/05 15:51			0
85	2002/09/05 15:52			0
86	2002/09/05 15:53			0
87	2002/09/05 15:54			0
88	2002/09/05 15:54			0
89	2002/09/05 15:55			0
90	2002/09/05 15:55			0

	Type	Hits	Search Text	DBs
91	BRS	13	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 250/\$	USOCR
92	BRS	1	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 702/\$	USOCR
93	BRS	0	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 364/\$	USOCR
94	BRS	0	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile) ) and 705/\$	USOCR
95	BRS	48	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	EPO
96	BRS	87	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	JPO
97	BRS	328	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	DERWENT
98	BRS	5	((steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)) and (steel or material) SAME (hardness or toughness or tensile)	USPAT; DERWENT

	Time Stamp	Comments	Error Definition	Errors
91	2002/09/05 15:56			0
92	2002/09/05 15:56			0
93	2002/09/05 15:56			0
94	2002/09/05 15:56			0
95	2002/09/05 15:57			0
96	2002/09/05 15:59			0
97	2002/09/05 15:59			0
98	2002/09/05 15:59			0



	Type	Hits	Search Text	DBs
99	BRS	2	(steel or material) NEAR (signature or sample or die) and material SAME (supplier or resource or provider or source)	IBM_TDB
100	BRS	66273	steel SAME (test\$3 or compar\$)	USPAT
101	BRS	75	(steel SAME (test\$3 or compar\$)) and 73/866	USPAT
102	BRS	18295	steel SAME (test\$3 or compar\$) and steel SAME (first or second)	USPAT
103	BRS	21	(steel SAME (test\$3 or compar\$) and steel SAME (first or second)) and 73/866	USPAT
104	BRS	0	standard SAME (supplier or provider or maker) and 73/866	USPAT
105	BRS	6	(steel or material) NEAR (accept\$4 or reject\$4) and 73/866	USPAT
106	BRS	0	(steel or material) NEAR (accept\$4 or reject\$4) and 73/866	USOCR
107	BRS	145	(steel or material) NEAR (accept\$4 or reject\$4)	EPO
108	BRS	0	(steel or material) NEAR (accept\$4 or reject\$4) and (hardness or toughness)	EPO
109	BRS	2	(steel or material) NEAR (accept\$4 or reject\$4) and (hardness or toughness)	JPO
110	BRS	15	(steel or material) NEAR (accept\$4 or reject\$4) and (hardness or toughness)	DERWENT
111	BRS	2	"5458002"	DERWENT
112	BRS	4	"5458002"	USPAT
113	IS&R	1	("4567774").PN.	USPAT
114	BRS	898560	73/\$ and steel (10n) (standard or sample)	USPAT
115	BRS	119524 3	steel (10n) (standard or sample)	USPAT
116	BRS	119640 5	steel (5n) (standard or sample)	USPAT
117	BRS	36009	steel SAME (standard or sample)	USPAT
118	BRS	52	(steel SAME (standard or sample)) and 73/866	USPAT
119	BRS	37795	steel SAME (standard or sample)	USOCR

	Time Stamp	Comments	Error Definition	Errors
99	2002/09/05 16:01			0
100	2002/09/06 14:40			0
101	2002/09/06 14:41			0
102	2002/09/06 14:41			0
103	2002/09/06 14:43			0
104	2002/09/06 14:44			0
105	2002/09/06 14:46			0
106	2002/09/06 14:47			0
107	2002/09/06 14:47			0
108	2002/09/06 14:47			0
109	2002/09/06 14:48			0
110	2002/09/06 14:51			0
111	2002/09/06 14:51			0
112	2002/09/06 14:53			0
113	2002/09/06 14:54			0
114	2002/09/06 14:55			0
115	2002/09/06 14:55			0
116	2002/09/06 14:56			0
117	2002/09/06 14:57			0
118	2002/09/06 14:57			0
119	2002/09/06 14:57			0